

Publications Rien Aerts

Note: The pdfs of the individual papers can be found at 'publications' of the section 'Systems Ecology'

- 1 Spitters, C.J.T., **Aerts, R.** (1983) Simulation of competition for light and water in crop-weed associations. *Aspects of Applied Biology* 4:467-483.
- 2 Berendse, F., **Aerts, R.** (1984) Competition between *Erica tetralix* L. and *Molinia caerulea* (L.) Moench as affected by the availability of nutrients. *Acta Oecologica/Oecologia Plantarum* 5:3-14.
- 3 Berendse, F., **Aerts, R.** (1987) Nitrogen use efficiency: a biologically meaningful definition? *Functional Ecology* 1:293-296.
- 4 **Aerts, R.**, Berendse, F. (1988) The effect of increased nutrient availability on vegetation dynamics in wet heathlands. *Vegetatio* 76:63-69.
- 5 **Aerts, R.** (1989a) The effect of increased nutrient availability on leaf turnover and aboveground productivity of two evergreen ericaceous shrubs. *Oecologia* 78:115-120.
- 6 **Aerts, R.** (1989b) Nitrogen use efficiency in relation to nitrogen availability and plant community composition. In : Lambers, H., Konings, H., Cambridge, M.L. and Pons, L. (eds), *Causes and consequences of variation in growth rate and productivity of higher plants*, pp. 285-297. SPB Academic Publishing, The Hague.
- 7 **Aerts, R.** (1989c) Aboveground biomass and nutrient dynamics of *Calluna vulgaris* and *Molinia caerulea* in a dry heathland. *Oikos* 56:31-38.
- 8 **Aerts, R.**, Berendse, F. (1989) Aboveground nutrient turnover and net primary production of an evergreen and a deciduous species in a heathland ecosystem. *Journal of Ecology* 77:343-356.
- 9 **Aerts, R.**, De Caluwe, H. (1989) Aboveground productivity and nutrient turnover of *Molinia caerulea* along an experimental gradient of nutrient availability. *Oikos* 54:320-324.
- 10 **Aerts, R.**, Berendse, F., Klerk, N.M., Bakker, C. (1989) Root production and root turnover in two dominant species of wet heathlands. *Oecologia* 81:374-378.
- 11 **Aerts, R.**, Berendse, F., De Caluwe, H., Schmitz, M. (1990) Competition in heathland along an experimental gradient of nutrient availability. *Oikos* 57:310-318.
- 12 **Aerts, R.** (1990a) Nutrient use efficiency in evergreen and deciduous species from heathlands. *Oecologia* 84:391-397
- 13 **Aerts, R.** (1990b) The interaction between nutrient availability and the species composition of heathland vegetation. *Acta Bot. Neerl.* 39:316-317

- 14 **Aerts, R.**, Boot, R.G.A., Van der Aart, P.J.M. (1991) The relation between above- and belowground biomass allocation patterns and competitive ability. *Oecologia* 87:551-559
- 15 **Aerts, R.**, Wallén, B., Malmer, N. (1992) Growth-limiting nutrients in *Sphagnum*-dominated bogs subject to low and high atmospheric nitrogen supply. *Journal of Ecology* 80:131-140.
- 16 **Aerts, R.**, De Caluwe, H., Konings, H. (1992) Seasonal allocation of biomass and nitrogen in four *Carex* species from mesotrophic and eutrophic fens as affected by nitrogen supply. *Journal of Ecology* 80:653-664.
- 17 **Aerts, R.**, Bakker, C., De Caluwe, H. (1992) Root turnover as determinant of the cycling of C, N, and P in a dry heathland ecosystem. *Biogeochemistry* 15:175-190.
- 18 Van Vuuren, M.M.I., **Aerts, R.**, Berendse, F., De Visser, W. (1992). Nitrogen mineralization in heathland ecosystems dominated by different plant species. *Biogeochemistry* 16:151-166.
- 19 **Aerts, R.** (1993a). Biomass and nutrient dynamics of dominant plant species in heathlands. In : Aerts, R., Heil, G.W. (eds), *Heathlands, patterns and processes in a changing environment*, pp. 51-84. Kluwer Academic Publishers, Dordrecht.
- 20 **Aerts, R.** (1993b). Competition between dominant plant species in heathlands. In : Aerts, R., Heil, G.W. (eds), *Heathlands, patterns and processes in a changing environment*, pp. 125-151. Kluwer Academic Publishers, Dordrecht.
- 21 **Aerts, R.** (1993c). Nutrient turnover in Dutch heathlands during succession from ericaceous to gramineous dominance. *Scripta Geobotanica* 21:7-15.
- 22 **Aerts, R.**, Heil, G.W. (1993). *Heathlands, patterns and processes in a changing environment*. Kluwer Academic Publishers, Dordrecht.
- 23 **Aerts, R.**, Van der Peijl, M.J. (1993) A simple model to explain the dominance of low-productive perennials in nutrient-poor environments. *Oikos* 66:144-147.
- 24 Berendse, F., **Aerts, R.**, Bobbink, R. (1993) Atmospheric nitrogen deposition and its impact on terrestrial ecosystems. In : Opdam, P., Vos, C.C. (eds), *Landscape Ecology of a Stressed Environment*, pp. 104-121. Chapman and Hall, London.
- 25 **Aerts, R.** (1994) The effect of nitrogen supply on the partitioning of biomass and nitrogen in plant species from heathlands and fens: alternatives in plant functioning and scientific approach. In : Roy, J., Garnier, E. (eds), *A whole-plant perspective on carbon-nitrogen interactions*. pp. 247-265. SPB Academic Publishing, The Hague.
- 26 **Aerts, R.**, De Caluwe, H. (1994a) Effects of nitrogen supply on canopy structure and leaf nitrogen distribution in *Carex* species. *Ecology* 75:1482-1490.

- 27 **Aerts, R.**, De Caluwe, H. (1994b) Nitrogen use efficiency of *Carex* species in relation to nitrogen supply. *Ecology* 75:2362-2372
- 28 **Aerts, R.** (1995) The advantages of being evergreen. *Trends in Ecology and Evolution* 10:502-507
- 29 **Aerts, R.**, De Caluwe, H. (1995) Interspecific and intraspecific differences in shoot and leaf lifespan of four *Carex* species which differ in maximum dry matter production. *Oecologia* 102:467-477
- 30 **Aerts, R.**, van Logtestijn, R., van Staalduinen, M., Toet, S. (1995) Nitrogen supply effects on productivity and potential leaf litter decay of *Carex* species from fens differing in nutrient limitation. *Oecologia* 104:447-453.
- 31 **Aerts, R.**, Huiszoon, A., van Oostrum, J., van de Vijver, C.A.D.M., Willems, J.H. (1995) The potential for heathland restoration on formerly arable land at a site in Drenthe, the Netherlands. *Journal of Applied Ecology* 32:827-835
- 32 **Aerts, R.** (1996) Nutrient resorption from senescing leaves of perennials: are there general patterns ? *Journal of Ecology* 84:597-608.
- 33 **Aerts, R.** (1997a) Climate, leaf litter chemistry and leaf litter decomposition in terrestrial ecosystems : a triangular relationship. *Oikos* 79:439-449.
- 34 **Aerts, R.** (1997b) Atmospheric nitrogen deposition affects potential denitrification and N₂O emission from peat soils in the Netherlands. *Soil Biology and Biochemistry* 29:1153-1156.
- 35 **Aerts, R.** (1997c) Nitrogen partitioning between resorption and decomposition pathways: a trade-off between nitrogen use efficiency and litter decomposability ? *Oikos* 80:603-606.
- 36 **Aerts, R.**, De Caluwe, H. (1997a) Nutritional and plant-mediated controls on leaf litter decomposition of *Carex* species. *Ecology* 78:244-260.
- 37 **Aerts, R.**, De Caluwe, H. (1997b) Initial litter respiration rates as indicators for long-term leaf litter decomposability of *Carex* species. *Oikos* 80:353-361
- 38 **Aerts, R.**, Toet, S. (1997) Nutritional controls on carbon dioxide and methane efflux from *Carex*-dominated peat soils. *Soil Biology and Biochemistry* 29:1683-1690.
- 39 **Aerts, R.**, Ludwig, F. (1997) Water table changes and nutritional status affect trace gas emissions from laboratory columns of peatland soils. *Soil Biology and Biochemistry* 29:1691-1698.
- 40 **Aerts, R.**, Bobbink, R. (1999) The impact of atmospheric nitrogen deposition on vegetation processes in terrestrial, non-forest ecosystems. In : S.J. Langan (ed), *The Impact of Nitrogen Deposition on Natural and Semi-Natural Ecosystems*, pp. 85-122. Kluwer Academic Publishers, Dordrecht.

- 41 **Aerts, R.**, De Caluwe, H. (1999) Nitrogen deposition effects on carbon dioxide and methane emissions from temperate peatland soils. *Oikos* 84:44-54.
- 42 **Aerts, R.**, Verhoeven, J.T.A., Whigham, D.F. (1999) Plant-mediated controls on nutrient cycling in temperate fens and bogs. *Ecology* 80:2170-2181.
- 43 **Aerts, R.** (1999) Interspecific competition in natural plant communities: mechanisms, trade-offs, and plant-soil feedbacks. *Journal of Experimental Botany* 50:29-37.
- 44 Meijkamp, B., **Aerts, R.**, van de Staaij, J., Tosserams, M., Ernst, W.H.O., Rozema, J. (1999). Effects of UV-B on secondary metabolites in plants. In: J. Rozema (ed)., *Stratospheric ozone depletion: the effects of enhanced UV-B radiation on terrestrial ecosystems*, pp. 71-99. Backhuijs Publishers, Leiden.
- 45 Van de Staaij, J.W.M., Rozema, J., **Aerts, R.** (1999). The impact of solar UV-B radiation on mutualistic plant/micro-organism interactions at the soil-root interface. In: J. Rozema (ed)., *Stratospheric ozone depletion: the effects of enhanced UV-B radiation on terrestrial ecosystems*, pp. 159-171. Backhuijs Publishers, Leiden.
- 46 Responses of plants from a dune grassland ecosystem in the Netherlands to solar UV-B: UV-B filtration and supplementation experiments. Rozema J., Oudejans, A., Houter, N., Schoonheim, H., Walraven, I., van 't Klooster., C., van de Staaij, J., Tosserams, M., de Bakker, N., van Beem, A., Stroetenga, M., Broekman, R., van Heerwaarden, L., Nelissen, H., **Aerts, R.** (1999). In: J. Rozema (ed)., *Stratospheric ozone depletion: the effects of enhanced UV-B radiation on terrestrial ecosystems*, pp. 203-225. Backhuijs Publishers, Leiden.
- 47 **Aerts, R.**, Chapin, F.S. (2000) The Mineral Nutrition of Wild Plants Revisited : a Re-evaluation of Processes and Patterns. *Advances in Ecological Research* 30:1-67.
- 48 Scheffer, R.A., **Aerts, R.** (2000) Root decomposition and soil nutrient and carbon cycling in two temperate fen ecosystems. *Oikos* 91:541-549.
- 49 Cornelissen, J.H.C., Perez-Harguindeguy, N., Gwynn-Jones, D., Diaz, S., Callaghan, T.V., **Aerts, R.** (2000) Autumn leaf colours as indicators of decomposition rate in sycamore (*Acer pseudoplatanus* L.). *Plant and Soil* 225:33-38.
- 50 **Aerts, R.**, Wallén, B., Malmer, N., de Caluwe H. (2001) Nutritional constraints on *Sphagnum*-growth and potential decay in northern peatlands. *Journal of Ecology* 89: 292-299.
- 51 De Bakker, N.V.J., van Beem, A.P., van de Staaij, J.W.M., Rozema, J., **Aerts, R.** (2001) Effects of UV-B radiation on a Charophycean algae, *Chara aspera*. *Plant Ecology* 154:239-246.

- 52 Van de Staaij, J., Rozema, J., van Beem, A., **Aerts, R.** (2001) Increased solar UV-B radiation reduces infection by arbuscular mycorrhizal fungi (AMF) in dune grassland plants. *Plant Ecology* 154:171-177.
- 53 Cornelissen, J.H.C., Callaghan, T.V., Alatalo, J.M., Michelsen, A., Graglia, E., Hartley, A.E., Hik, D.S., Hobbie, S.E., Press, M.C., Robinson, C.H., Henry, G.H.R., Shaver, G.R., Phoenix, G.K., Gwynn Jones, D., Jonasson, S., Chapin F.S.III, Molau, U., Neill, C., Lee, J.A., Melillo, J.M., Sveinbjörnsson, B., **Aerts, R.** (2001) Global change and arctic ecosystems: is lichen decline a function of increases in vascular plant biomass? *Journal of Ecology* 89:984-994.
- 54 Cornelissen, J.H.C., **Aerts, R.**, Cerabolini, B., Werger, M.J.A., Van der Heijden, M.G.A. (2001) Carbon cycling traits of plant species are linked with mycorrhizal strategy. *Oecologia* 129:611-619.
- 55 **Aerts, R.** (2002) The role of various types of mycorrhizal fungi in nutrient cycling and plant competition. In: Van der Heijden M.G.A., Sanders I.R. (eds), *Mycorrhizal Ecology*, pp. 117-133. Springer Verlag, Berlin.
- 56 Van de Staaij, J., De Bakker, N.V.J., Oosthoek, A., Broekman, R., van Beem, A., Stroetenga, M., **Aerts, R.**, Rozema, J. (2002) Flavonoid concentrations in three grass species and a sedge grown in the field and under controlled environment conditions in response to enhanced UV-B radiation. *Journal of Photochemistry and Photobiology B: Biology* 66:21-29.
- 57 Hoorens, B., **Aerts, R.**, Stroetenga, M. (2002) Litter quality and interactive effects in litter mixtures: more negative interactions under elevated CO₂? *Journal of Ecology* 90:1009-1016.
- 58 **Aerts, R.**, De Caluwe, H., Beltman, B. (2003) Is the relation between nutrient supply and biodiversity co-determined by the type of nutrient limitation? *Oikos* 101:489-498.
- 59 **Aerts, R.**, de Caluwe, H., Beltman, B. (2003) Plant community mediated vs. nutritional controls on litter decomposition rates in grasslands. *Ecology* 84:3198-3208.
- 60 Cornelissen, J.H.C., Cerabolini, B., Castro-Diez, P., Villar-Salvador, P., Montserrat-Marti, G., Puyravaud, J.P., Maestro, M., Werger, M.J.A., **Aerts, R.** (2003) Functional traits of woody plants: correspondence of species rankings between field adults and laboratory-grown seedlings? *Journal of Vegetation Science* 14:311-322.
- 61 Hoorens, B., **Aerts, R.**, Stroetenga, M. (2003) Is there a trade-off between the plant's growth response to elevated CO₂ and subsequent litter decomposability? *Oikos* 103:17-30.

- 62 Heerwaarden, L.M. van, Toet, S., **Aerts, R.** (2003) Current measures of nutrient resorption efficiency lead to a substantial underestimation of real resorption efficiency: facts and solutions. *Oikos* 101:664-669.
- 63 Hoorens, B., **Aerts, R.**, Stroetenga, M. (2003) Does initial litter chemistry explain litter mixture effects on decomposition? *Oecologia* 137:578-586.
- 64 Kroeze, C., **Aerts, R.**, van Breemen, N., van Dam, D., van der Hoek, K., Hofschreuder, P., Hoosbeek, M., de Klein, J., Kros, H., van Oene, H., Oenema, O., Tietema, A., van der Veeren, R., de Vries, W. (2003). Uncertainties in the fate of nitrogen I: an overview of sources of uncertainty illustrated with a Dutch case study. *Nutrient Cycling in Agroecosystems* 66:43-69.
- 65 Heerwaarden, L.M. van, Toet, S., **Aerts, R.** (2003) Nitrogen and phosphorus resorption efficiency and proficiency in six sub-arctic bog species after 4 years of nitrogen fertilization. *Journal of Ecology* 91:1060-1070.
- 66 Quested, H.M., Cornelissen, J.H.C., Press, M.C., Callaghan, T.V., **Aerts, R.**, Trosien, F., Riemann, P., Gwynn-Jones, D., Kondratchuk, A., Jonasson, S. (2003) Decomposition of sub-arctic plants with differing nitrogen economies: a functional role for hemiparasites. *Ecology* 84:3209-3221.
- 67 Dorrepaal, E., **Aerts, R.**, Cornelissen, J.H.C., Callaghan, T.V., van Logtestijn, R.S.P. (2004) Summer warming and increased winter snow cover affect *Sphagnum fuscum* growth, structure and production in a sub-arctic bog. *Global Change Biology* 10: 93-104.
- 68 Hoorens, B., **Aerts, R.**, Stroetenga, M. (2004) UV-B radiation has no effect on litter quality and decomposition of two dune grassland species: evidence from a long-term field experiment. *Global Change Biology* 10: 200-208.
- 69 **Aerts, R.**, Cornelissen, J.H.C., Dorrepaal, E., van Logtestijn, R.S.P., Callaghan, T.V. (2004) Effects of experimentally imposed climate scenarios on flowering phenology and flower production of sub-arctic bog species. *Global Change Biology* 10: 1599-1609.
- 70 Cornelissen, J.H.C., Quested, H.M., Gwynn-Jones, D., van Logtestijn, R.S.P., De Beus, M.A.H., Kondratchuk, A., Callaghan, T.V., **Aerts, R.** (2004) Leaf digestibility and litter decomposability are related in a wide range of subarctic plant species and types. *Functional Ecology* 18:779-786.
- 71 Dijk, J. van, Stroetenga, M., Bos, L., Bodegom, P.M. van, Verhoef, H.A., **Aerts, R.** (2004) The effects of rewetting of former agricultural grasslands on decomposition and soil nutrient dynamics. *Biogeochemistry* 71:317-337.
- 72 De Bakker, N.V.J., Van Bodegom, P.M., Van de Poll, W.H., Boelen, P., Nat, E., Rozema, J., **Aerts, R.** (2005) Is solar UV-B radiation affecting charophycean algae in shallow freshwater systems? *New Phytologist* 166:957-966.

- 73 Bodegom, P.M. van, De Kanter, M., Bakker, C., **Aerts, R.** (2005) Radial oxygen loss, a plastic property of dune slack plant species. *Plant and Soil* 271:351-364.
- 74 Notten, M.J.M., Oosthoek, A.J.P., Rozema, J., **Aerts, R.** (2005) Heavy metal concentrations in a soil-plant-snail food chain along a terrestrial soil pollution gradient. *Environmental Pollution* 138:178-190.
- 75 Dorrepaal, E., Cornelissen, J.H.C., **Aerts, R.**, Wallén, B. van Logtestijn, R.S.P. (2005) Are growth forms consistent predictors of leaf litter quality and decomposability across peatlands along a latitudinal gradient? *Journal of Ecology* 93:817-828.
- 76 Soudzilovskaia, N.A., Onipchenko, V.G., Cornelissen, J.H.C., **Aerts, R.** (2005) Biomass production, N:P ratio and nutrient limitation of a Caucasian alpine tundra plant community *Journal of Vegetation Science* 16:399-406.
- 77 Bodegom, P.M. van, Broekman, R., Dijk, J. van, Bakker, C., **Aerts, R.** (2005) Ferrous iron stimulates phenol oxidase activity and organic matter decomposition in waterlogged wetlands. *Biogeochemistry* 76:69-83.
- 78 Heerwaarden, L.M. van, Toet, S., van Logtestijn, R.S.P., **Aerts, R.** (2005) Internal nitrogen dynamics in the graminoid *Molinia caerulea* under higher N supply and elevated CO₂ concentrations. *Plant and Soil* 277:255-264.
- 79 **Aerts, R.**, van Logtestijn, R.S.P., Karlsson, P.S. (2006) Nitrogen supply differentially affects litter decomposition rates and nitrogen dynamics of sub-arctic bog species. *Oecologia* 146:652-658.
- 80 **Aerts, R.**, Cornelissen, J.H.C., Dorrepaal, E. (2006) Plant performance in a warmer world: general responses of plants from cold biomes and the importance of winter and spring events. *Plant Ecology* 182:65-77.
- 81 Notten, M.J.M., Oosthoek, A.J.P., Rozema, J., **Aerts, R.** (2006) The landsnail *Cepaea nemoralis* regulates internal Cd levels when fed on Cd-enriched stinging nettle (*Urtica dioica*) leaves at low, field-relevant concentrations. *Environmental Pollution* 139:296-305.
- 82 Toet, S., Cornelissen, J.H.C., **Aerts, R.**, van Logtestijn, R.S.P., de Beus, M., Stoevelaar, R. (2006) Moss responses to elevated CO₂ and variation in hydrology in a temperate lowland peatland. *Plant Ecology* 182:27-40.
- 83 Milla, R., Cornelissen, J.H.C., van Logtestijn, R.S.P., Toet, S., **Aerts, R.** (2006) Vascular plant responses to elevated CO₂ in a temperate lowland *Sphagnum* peatland *Plant Ecology* 182:13-24.

- 84 Cornelissen, J.H.C., Queded, H.M., van Logtestijn, R.S.P., Pérez-Harguindeguy, N., Gwynn-Jones, D., Díaz, S., Callaghan, T.V., Press, M.C., **Aerts, R.** (2006) Foliar pH as a new 'soft' trait: links with specific leaf area, leaf chemistry, leaf digestibility and litter decomposability among subarctic plant species and types. *Oecologia* 147:315-326.
- 85 Bakker, C., Van Bodegom, P.M., Nelissen, H.J.M., Ernst, W.H.O., **Aerts, R.** (2006) Plant responses to rising water tables and nutrient management in calcareous dune slacks. *Plant Ecology* 185:19-28.
- 86 Dorrepaal, E., **Aerts, R.**, Cornelissen, J.H.C., van Logtestijn, R.S.P., Callaghan T.V. (2006) *Sphagnum* modifies climate change impacts on sub-arctic vascular bog plants. *Functional Ecology* 20:31-41.
- 87 **Aerts, R.** (2006) The freezer defrosting: global warming and litter decomposition rates in cold biomes. *Journal of Ecology* 94:713-724.
- 88 Bodegom, P.M. van, Oosthoek, A., Broekman, R., Bakker, C., **Aerts, R.** (2006) Raising groundwater differentially affects mineralization and plant species abundance in dune slacks. *Ecological Applications* 16:1785-1795.
- 89 Notten, M.J.M., Oosthoek, A.J.P., Rozema, J., **Aerts, R.** (2006) Heavy metal pollution affects consumption and reproduction of the landsnail *Cepaea nemoralis* fed on naturally polluted *Urtica dioica* leaves. *Ecotoxicology* 15:295-304.
- 90 Rozema J, **Aerts R**, Cornelissen JHC (eds) (2006) Plants and Climate Change. Tasks for Vegetation Science 41. Springer, The Netherlands.
- 91 **Aerts, R.**, Cornelissen, J.H.C., van Logtestijn, R.S.P., Callaghan T.V. (2007) Climate change has only a minor impact on nutrient resorption parameters in a high-latitude peatland. *Oecologia* 151:132-139.
- 92 Dorrepaal, E., **Aerts, R.**, Cornelissen, J.H.C. (2007) Changing leaf litter feedbacks on plant production across contrasting sub-arctic peatland species and growth forms. *Oecologia* 151:251-261.
- 93 Yergeau, E., Bokhorst, S., Huiskes, A.H.L., Boschker, H.T.S., **Aerts, R.**, Kowalchuk, G.A. (2007) Size and structure of microbial, fungal and nematode communities along an Antarctic environmental gradient. *FEMS Microbiology Ecology* 59:436-451.
- 94 Bakker, C., Bodegom, P.M. van, Nelissen, H.J.M., **Aerts, R.**, Ernst, W.H.O. (2007) Preference of wet dune plants for waterlogged conditions can be explained by adaptations and specific recruitment requirements. *Aquatic Botany* 86:37-45.
- 95 Dijk, J. van, Stroetenga, M., Bodegom, P.M. van, **Aerts, R.** (2007) The contribution of rewetting to vegetation restoration of degraded peat meadows. *Applied Vegetation Science* 10:315-324.

- 96 Bokhorst, S., Ronfort C., Huiskes, A., Convey, P., **Aerts, R.** (2007) Food choice of Antarctic soil arthropods clarified by stable isotope signatures. *Polar Biology* 30:983-990.
- 97 Soudzilovskaia, N.A., Onipchenko, V.G., Cornelissen, J.H.C., **Aerts, R.** (2007) Effects of fertilisation and irrigation on 'foliar afterlife' in alpine tundra. *Journal of Vegetation Science* 18:755-766.
- 98 Bokhorst, S., Huiskes, A., Convey, P., **Aerts, R.** (2007) External nutrient inputs into terrestrial ecosystems of the Falkland Islands and the Maritime Antarctic region. *Polar Biology* 30:1315-1321.
- 99 Cornelissen, J.H.C., van Bodegom, P.M., **Aerts, R.**, and many others (2007). Global negative vegetation feedback to climate warming responses of leaf litter decomposition rates in cold biomes. *Ecology Letters* 10:619-627.
- 100 Bokhorst, S., Huiskes, A., Convey, P., **Aerts, R.** (2007) Climate change effects on organic matter decomposition rates in ecosystems from the Maritime Antarctic and Falkland Islands. *Global Change Biology* 13:2642-2653.
- 101 Bokhorst, S., Huiskes, A., Convey, P., **Aerts, R.** (2007) The effect of environmental change on vascular plant and cryptogam communities from the Falkland Islands and the Maritime Antarctic. *BMC Ecology* 7:15.
- 102 Van Bodegom, P.M., Sorrell, B.K., Oosthoek, A., Bakker, C., **Aerts, R.** (2008) Separating the effects of partial submergence and soil oxygen demand on plant physiology and growth upon flooding. *Ecology* 89:193-204.
- 103 Rozema, J., Notten, M., **Aerts, R.**, van Gestel, K., Hobbelen, P., Hamers, T. (2008) Do high levels of diffuse and chronic metal pollution in sediments of Rhine and Meuse floodplains affect structure and functioning of terrestrial ecosystems? *Science of the Total Environment* 406: 443-448.
- 104 Bartholomeus, R.P., Witte, J.P.M., Van Bodegom, P.M., **Aerts, R.** (2008) The need of data harmonization to derive robust empirical relationships between soil conditions and vegetation. *Journal of Vegetation Science* 19:799-808.
- 105 Bokhorst, S., Huiskes, A., Convey, P., van Bodegom, P.M., **Aerts, R.** (2008) Climate change effects on soil arthropod communities from the Falkland Islands and the Maritime Antarctic. *Soil Biology & Biochemistry* 40:1547-1556.
- 106 Notten, M.J.M., Walraven, N., Beets, K., Vroon, P., Rozema, J., **Aerts, R.** (2008) Investigating the origin of Pb pollution in a terrestrial soil-plant-snail food chain by means of Pb isotope ratios. *Applied Geochemistry* 23:1581-1593.

- 107 Bartholomeus, R.P., Witte, J.P.M., Van Bodegom, P.M., van Dam, J.C., **Aerts, R.** (2008) Critical soil conditions for oxygen stress to plant roots: substituting the Feddes-function by a process-based model. *Journal of Hydrology* 360:147-165.
- 108 Cornwell, W.K., Cornelissen, J.H.C., Amatangelo, K., Dorrepaal, E., Eviner, V.T., Godoy, O., Hobbie, S.E., Hoorens, B., Kurokaw, H., Perez Harguindeguy, H., Qusted, H.M., Santiago, L.S., Wardle, D.A., Wright, I.J., **Aerts, R.**, Allison, S., van Bodegom, P.M., Brovkin, V., Chatain, A., Callaghan, T.V., Diaz, S., Garnier, E., Gurvich, D.E., Kazakou, E., Klein, J., Read, J., Reich, P.B., Sou dzilovskaia, N.A., Vaieretti, M.V., Westoby, M. (2008). Plant species traits are the predominant control on litter decomposition rates within biomes worldwide. *Ecology Letters* 11:1065-1071.
- 109 Esmeijer-Liu, A.J., **Aerts, R.**, Kürschner, W.M., Bobbink, R., Lotter, A.F., Verhoeven, J.T.A. (2009) Nitrogen enrichment lowers *Betula pendula* green and yellow leaf stoichiometry irrespective of effects of elevated carbon dioxide. *Plant and Soil* 316:311-322.
- 110 Wookey, P.A., **Aerts, R.**, Bardgett, R.D., Baptist, F., Bråthen, K.A., Cornelissen, J.H.C., Gough, L., Hartley, I.P., Hopkins, D.W., Lavorel, S., Shaver, G.R. (2009) Ecosystem feedbacks and cascade processes: understanding their role in the responses of arctic and alpine ecosystems to environmental change. *Global Change Biology* 15:1153-1172.
- 111 **Aerts, R.** (2009) Nitrogen supply effects on leaf dynamics and nutritional soil feedbacks of plant species in a sub-arctic tundra ecosystem. *Polar Biology* 32:207-214.
- 112 Ordoñez, J.C., van Bodegom, P.M., Witte, J.P.M., Wright, I.J., Reich, P.B., **Aerts, R.** (2009). A cross-continental study of relationships between leaf traits, climate and soil measures of nutrient availability. *Global Ecology and Biogeography* 18:137-149.
- 113 Lang, S.I., Cornelissen, J.H.C., Hölzer, A., ter Braak C.J.F., Ahrens, M., Callaghan, T.V., **Aerts, R.** (2009) Determinants of cryptogam composition and diversity in *Sphagnum*-dominated peatlands: the importance of spatial, temporal and functional scales. *Journal of Ecology* 97:299-310.
- 114 **Aerts, R.**, Callaghan, T.V., Dorrepaal, E., van Logtestijn, R.S.P., Cornelissen, J.H.C. (2009) Seasonal climate manipulations result in species-specific changes in leaf nutrient levels and isotopic composition in a sub-arctic bog. *Functional Ecology* 23:680-688.
- 115 Dorrepaal, E., Toet, S., van Logtestijn, R.S.P., Swart, E., van de Weg, M.J., Callaghan, T.V., **Aerts, R.** (2009) Carbon respiration from subsurface peat accelerated by climate warming in the subarctic. *Nature* 460:616-619.
- 116 Lang, S.I., Cornelissen, J.H.C., Klahn, T., van Logtestijn, R.S.P., Broekman, R., Schweikert, W., **Aerts, R.** (2009) An experimental comparison of chemical traits and litter decomposition rates in a diverse range of subarctic bryophyte, lichen and vascular plant species. *Journal of Ecology* 97:886-900.

- 117 Van Dijk, J. Didden, W.A.M., Kuenen, F., van Bodegom, P.M., Verhoef, H.A., **Aerts, R.** (2009) Can differences in soil community composition after peat meadow restoration lead to different decomposition and mineralization rates? *Soil Biology & Biochemistry* 41:1717-1725.
- 118 Cornelissen, J.H.C., D. Gwynn-Jones, R.S.P. van Logtestijn, H.M. Queded, T.V. Callaghan, **Aerts, R.** (2009) A hypothesized triangular model combining tradeoffs of foliar defence quality and quantity: support from subarctic seed plant species. In: *A spectrum of ecological studies* (eds. D. Ming & M.J.A. Werger), pp.36-44. Southwest China Normal University Press, Chongqing, China.
- 119 **Aerts, R.** (2010) Nitrogen-dependent recovery of sub-arctic tundra vegetation after simulation of extreme winter warming damage to *Empetrum hermaphroditum*. *Global Change Biology* 16:1071-1081. doi 10.1111/j.1365-2486.2009.01999.x
- 120 Hoorens, B., Coomes, D., **Aerts, R.** (2010) Neighbour identity hardly affects litter mixture effects on decomposition rates of New Zealand forest species. *Oecologia* 162:479-489.
- 121 Ordonez, J., Van Bodegom, P.M., Witte, J.P.M., Bartholomeus, R., van Hal, J.R., **Aerts, R.** (2010) Plant strategies in relation to resource supply in wet environments: does theory mirror nature? *American Naturalist* 175:225-239. doi 10.1086/649582
- 122 Hoorens, B., Stroetenga, M., **Aerts, R.** (2010) Litter mixture interactions at the level of Plant Functional Types are additive. *Ecosystems* 13:90-98. DOI: 10.1007/s10021-009-9301-1
- 123 Fréchet, G.T., Cornelissen, J.H.C., van Logtestijn, R.S.P., **Aerts, R.** (2010) Evidence of the 'plant economics spectrum' in a subarctic flora. *Journal of Ecology* 98:362-373.
- 124 Pancotto, V.A., van Bodegom, P.M., van Hal, J., van Logtestijn, R.S.P., Blokker, P., Toet, S., **Aerts, R.** (2010) N deposition and elevated CO₂ on methane emissions: Differential responses of indirect effects compared to direct effects through litter chemistry feedbacks. *Journal of Geophysical Research - Biogeosciences* 115: Article Number G02001. DOI:10.1029/2009JG001099.
- 125 Soudzilovskaia, N.A., Cornelissen, J.H.C., During, H.J., van Logtestijn, R.S.P., Lang, S.I., **Aerts, R.** (2010) Similar cation exchange capacities among bryophyte species refute a presumed mechanism of peatland succession. *Ecology* 91:2716-2726.
- 126 Fréchet, G.T., Cornelissen, J.H.C., van Logtestijn, R.S.P., **Aerts, R.** (2010) Substantial nutrient resorption from leaves, stems and roots in a sub-arctic flora: what is the link with other resource economics traits? *New Phytologist* 186:879-889. doi: 10.1111/j.1469-8137.2010.03228.x
- 127 Dias, A.T.C., Hoorens, B., van Logtestijn, R.S.P., Vermaat, J.E., **Aerts, R.** (2010) Plant species composition can be used as a proxy to predict methane emissions in peatland

- ecosystems after land-use changes. *Ecosystems* 13:526-538. DOI 10.1007/s10021-010-9338-1
- 128 Ordóñez, J., Van Bodegom, P.M., Witte, J.P.M., Bartholomeus, R., van Dobben, H.F., **Aerts, R.** (2010) Leaf habit and woodiness regulate different leaf economy traits at a given nutrient supply. *Ecology* 91:3218-3228.
- 129 Makkonen, M.A., Berg, M.P., van Hal, J., Callaghan, T.V., Press, M., **Aerts, R.** (2011) Traits explain the responses of a sub-arctic Collembola community to climate manipulation. *Soil Biology & Biochemistry* 43:377-384.
- 130 Keuper, F., Dorrepaal, E., van Bodegom, P.M., **Aerts, R.**, van Logtestijn, R.S.P., Callaghan, T.V., Cornelissen, J.H.C. (2011) A Race for Space? How *Sphagnum fuscum* stabilizes vegetation composition during long-term climate manipulations. *Global Change Biology* 17:2162-2171. doi: 10.1111/j.1365-2486.2010.02377.x
- 131 Freschet, G.T., Dias, A.T.C., Ackerly, D.D., **Aerts, R.**, van Bodegom, P.M., Cornwell, W.K., Dong, M., Jianping, T., Kurokawa, H., Liu, G., Onipchenko, V.G., Ordoñez, J.C., Peltzer, D.A., Richardson, S.J., Shidakov, I.I., Soudzilovskaia, N.A., Tao, J., Cornelissen, J.H.C. (2011) Global to community scale differences in the prevalence of convergent over divergent leaf trait distributions in plant assemblages. *Global Ecology and Biogeography* 20:755-765. doi: 10.1111/j.1466-8238.2011.00651.x
- 132 Weedon, J.T., **Aerts, R.**, Kowalchuk, G.A., van Bodegom, P.M. (2011) Enzymology under global change: organic nitrogen turnover in alpine and sub-arctic soils. *Biochemical Society Transactions* 39:309-314. doi: 10.1042/BST0390309
- 133 Vermaat, J.E., Hellmann, F., Hoorens, B., Dias, A.T.C, van Logtestijn, R.S.P., **Aerts, R.** (2011) Greenhouse gas fluxes from Dutch peatland water bodies: importance of the surrounding landscape. *Wetlands* 31:493-498.
- 134 Limpens, J., Granath, G., Gunnarsson, U., **Aerts, R.**, Bayley, S., Bragazza, L., Bubier, J., Buttler, A., van den Berg, L., Francez, A-J., Gerdol, R. Grosvernier, P., Heijmans, M.M.P.D., Hoosbeek, M.R., Hotes, S., Ilomets, M., Leith, I., Mitchell, E.A.D., Moore, T., Nilsson, M.B., Nordbakken, J-F., Rochefort, L., Rydin, H., Sheppard, L.J., Thormann, M., Wiedermann, M.M., Williams, B., Xu, B. (2011) Climatic modifiers of the response to nitrogen deposition in peat-forming *Sphagnum* mosses: a meta-analysis. *New Phytologist* 191:496-507.
- 135 Van Geffen, K.G., Berg, M.P., **Aerts, R.** (2011) Potential macro-detritivore range expansion into the sub-arctic stimulates litter decomposition: a new positive feedback mechanism to climate change? *Oecologia*. DOI: 10.1007/s00442-011-2051-8
- 136 Van Bodegom, P., Douma, J.C., Witte, J.P., Ordoñez, J.C., Bartholomeus, R.P., **Aerts, R.** (2011) Going beyond limitations of plant functional types when predicting global ecosystem-atmosphere fluxes: exploring the merits of traits-based approaches. *Global Ecology and Biogeography* (in press)

- 137 Douma, J.C., **Aerts, R.**, Witte, J.P.M., Bekker, R.M., Kunzman, D., Metselaar, K., van Bodegom, P.M. (2011) A combination of functionally different plant traits provides a means to quantitatively predict species assemblages across a broad range of species assemblages in NW Europe. *Ecography* doi: 10.1111/j.1600-0587.2011.07068.x
- 138 Tsyganov, A.N., **Aerts, R.**, Cornelissen, J.H.C., Nijs, I., Beyens, L. (2012) *Sphagnum*-dwelling Testate Amoebae in Subarctic Bogs are More Sensitive to Soil Warming in the Growing Season than in Winter: the Results of Eight-year Field Climate Manipulations. *Protist* (in press). Doi: 10.1016/j.protis.2011.07.005
- 139 Yergeau, E., Bokhorst, S., Kang, S., Zhou, J., Greer, C.W., **Aerts, R.**, Kowalchuk, G.A. (2011) Shifts in soil microorganisms in response to warming are consistent across a range of Antarctic environments. *ISME Journal* doi:10.1038/ismej.2011.124
- 140 Fréchet, G.T., **Aerts, R.**, Cornelissen, J.H.C. (2011) A plant economics spectrum of litter decomposability. *Functional Ecology* doi.:10.1111/j.1365-2435.2011.01913.x
- 141 Fréchet, G.T., **Aerts, R.**, Cornelissen, J.H.C. (2011) Beyond home-field advantage in decomposition: Increasing dissimilarity between substrate and matrix quality drives interactions in litter mixtures from positive to negative. *Journal of Ecology* (in press).
- 142 Fréchet, G.T., Weedon, J.T., **Aerts, R.**, van Hal, J.R., Cornelissen, J.H.C. (2011) Interspecific differences in wood decay rates: insights from a new short-term method to study long-term wood decomposition. *Journal of Ecology* doi: 10.1111/j.1365-2745.2011.01896.x
- 143 Douma, J.C., de Haan, M. **Aerts, R.**, Witte, J.P.M., van Bodegom, P.M. (2011) Succession-induced trait shifts across a wide range of NW-European ecosystems are driven by light and modulated by initial abiotic conditions. *Journal of Ecology* (in press)
- 144 Bartholomeus, R.P., Witte, J.P.M., van Bodegom, P.M., van Dam, J.C., **Aerts, R.** (2011) Climate change threatens endangered plant species by stronger and interacting water-related stresses. *Journal of Geophysical Research-Biogeosciences* doi:10.1029/2011JG001693
- 145 Weedon, J.T., Kowalchuk, G.A., **Aerts, R.**, van Hal, J., van Logtestijn, R., Tas, N., Röling, W.F.M., van Bodegom, P.M. (2012) Summer warming accelerates sub-arctic peatland nitrogen cycling without changing enzyme pools or microbial community structure. *Global Change Biology* (in press).
- 146 Bartholomeus, R.P., Witte, J.P.M., van Bodegom, P.M., van Dam, J.C., de Becker, P., **Aerts, R.** (2012) Process-based proxy of oxygen stress surpasses indirect ones in predicting vegetation characteristics. *Ecophysiology* (in press)
- 147 Lang, S.I., Cornelissen, J.H.C., Shaver, G.R., Ahrens, M., Callaghan, T.V., Molau, U., ter Braak, C.J.F., Hölzer, A., **Aerts, R.** (2012) Consistent negative arctic warming effects

on lichen diversity and mixed effects on bryophyte diversity on two continents. *Global Change Biology* (in press)

- 148 Douma, J.C., Shipley, B., Witte, J.P.M., **Aerts, R.**, van Bodegom, P.M. (2012) Disturbance and resource availability act differently on the same suite of plant traits; revisiting assembly hypotheses. *Ecology* (in press)
- 149 Douma, J.C., Witte, J.P.M., **Aerts, R.**, Bartholomeus, R.P., Ordonez, J.C., Olde Venterink, H., Wassen, M.J., van Bodegom, P.M. (2012) Towards a functional basis for predicting vegetation patterns in a changing world; incorporating plant traits in habitat distribution models. *Ecography* (in press)